

KISS® Product Catalog



KISS
keep it simple suspension
www.KISS-SUSPENSION.com



KISS® Technologies, LLC
Tel: (410) 663-KISS (5477)
Fax: (410) 665-2405
8am-4:30pm ET Monday – Friday
8517 Loch Raven Boulevard
Baltimore, MD 21286
Online: www.kiss-suspension.com
More Information and Distributor List Availab

KISS[®] KITS

KS1/A KS1/B Delrin KISS[®] Kit



This KISS[®] Kit features a delrin distal base which can be laminated into a socket or vacuum formed in a flexible inner socket. It includes an aluminum tab to assist in fabrication.
Designed for a 1 socket, 2 liner application

Applications:
 -Flexible Inner Socket
 -Contracture Accommodation
Requirements:
 -Covered roll on locking liner
Total Build Height: 3mm

Includes 8 Components
 (1) CMP1/A – Delrin Distal Base
 (1) CMP5/A or B – Adhesive Placard Set
 (1) CMP22/A or B – Velcro Placard Set
 Includes Proximal Nuts & Screws
 (1) CMP7/A or B – Proximal Strap Set
 (1) CMP6/A or B – Distal Strap Set
 (1) CMP8/A – Distal Screw Set
 (1) CMP9/A - KISS[®] Muffler Set

KS2/A KS2/B 4-Hole Endo KISS[®] Kit



This KISS[®] Kit features an aluminum 4-Hole distal base, which also serves as an attachment base for endoskeletal componentry. It also easily retrofits with PDI[™] and Bulldog[™] shuttle locks. It includes aluminum tab to assist in fabrication. Lamination adaptor and spacer screws sold separately (CMP14/A).
Designed for a 1 socket, 2 liner application

Applications:
 -Serves as an endoskeletal attachment base
 -Retro fits with PDI[™] & Bulldog[™] locks
Requirements:
 -Covered roll on locking liner.
Total Build Height: 3mm

Includes 8 Components
 (1) CMP2/A – 4-Hole Endo Distal Base
 (1) CMP5/A or B – Adhesive Placard Set
 (1) CMP22/A or B – Velcro Placard Set
 Includes Proximal Nuts & Screws
 (1) CMP7/A or B – Proximal Strap Set
 (1) CMP6/A or B – Distal Strap Set
 (1) CMP8/A – Distal Screw Set
 (1) CMP9/A - KISS[®] Muffler Set

KS4/A KS4/B 4-Hole Angled Offset Base KISS[®] Kit



This KISS[®] Kit features an aluminum 4-Hole angled offset base that can be laminated into a socket with a single lamination. It is angled 12° and has a 4-hole pattern that is offset posteriorly .75 inches for enhanced alignment for hip flexor tightness. It also includes aluminum tab to assist in fabrication. Lamination adaptor and spacer screws sold separately (CMP14/A).
Designed for a 1 socket, 2 liner application

Applications:
 -Serves as an endoskeletal attachment base for a single wall socket
 -Allows for enhanced alignment for hip flexor tightness
Requirements:
 -Covered roll on locking liner
Total Build Height: 1 cm

Includes 8 Components
 (1) CMP44/A – 4-Hole Endo Distal Base
 (1) CMP5/A or B – Adhesive Placard Set
 (1) CMP22/A or B – Velcro Placard Set
 Includes Proximal Nuts & Screws
 (1) CMP7/A or B – Proximal Strap Set
 (1) CMP6/A or B – Distal Strap Set
 (1) CMP8/A – Distal Screw Set
 (1) CMP9/A - KISS[®] Muffler Set

Continued

PEDIATRIC KISS® KITS

PKS1/A PKS1/B Pediatric Delrin KISS® Kit



This Pediatric KISS® Kit features a delrin distal base which can be laminated into a socket or vacuum formed in a flexible inner socket. It includes an aluminum tab to assist in fabrication.

Designed for a 1 socket, 2 liner application

Applications:

-Flexible Inner Socket
-Contracture Accommodation

Requirements:

-Covered roll on locking liner

Total Build Height:
2mm

Includes 8 Components

- (1) PCMP1/A – Ped Delrin Distal Base
- (1) PCMP5/A or B – Ped Adhesive Placard Set
- (1) PCMP22/A or B – Ped Velcro Placard Set
Includes Ped Proximal Nuts & Screws
- (1) PCMP7/A or B – Ped Proximal Strap Set
- (1) PCMP6/A or B – Ped Distal Strap Set
- (1) PCMP8/A – Ped Distal Screw Set
- (1) PCMP9/A – Ped KISS® Muffler Set
- (1) PCMP15/A – 10mm-6mm Distal Threaded Insert

PKS2/A PKS2/B Pediatric 4-Hole Endo KISS® Kit



This Pediatric KISS® Kit features an aluminum 4-Hole distal base, which also serves as an attachment base for endoskeletal componentry. It includes aluminum tab to assist in fabrication. Lamination adaptor and spacer screws sold separately (PCMP14/A).

Designed for a 1 socket, 2 liner application

Applications:

-Serves as an endoskeletal attachment base
-Retro fits with PDI™ & Bulldog™ locks

Requirements:

-Covered roll on locking liner.

Total Build Height:
2mm

Includes 8 Components

- (1) PCMP2/A – Ped 4-Hole Endo Distal Base
- (1) PCMP5/A or B – Ped Adhesive Placard Set
- (1) PCMP22/A or B – Ped Velcro Placard Set
Includes Ped Proximal Nuts & Screws
- (1) PCMP7/A or B – Ped Proximal Strap Set
- (1) PCMP6/A or B – Ped Distal Strap Set
- (1) PCMP8/A – Ped Distal Screw Set
- (1) PCMP9/A – Ped KISS® Muffler Set
- (1) PCMP15/A-10mm-6mm Distal Threaded Insert

KISS[®] DISTAL COMPONENTS

Distal Bases

CMP1/A Delrin Distal Base



This base can be laminated into a socket or vacuum formed into a flexible inner socket. It is also an ideal solution to complex flexion contracture cases.

Build Height: 3mm
Diameter: 2 3/4"
Tapered Sides

Includes:
(1) Distal Base (1) Fabrication Tab

CMP2/A 4-Hole Endo Distal Base



This base is constructed of aircraft grade aluminum and can be laminated into a socket. It also serves as an attachment base for endoskeletal componentry. This base will easily retrofit with PDI™ and Bulldog™ locks. Lamination adaptor and spacer screws sold separately (CMP14/A).

Build Height: 3mm
Diameter: 2 3/4"
Tapered Sides

Includes:
(1) Distal Base (1) Fabrication Tab

CMP44/A 4-Hole Angled Offset Base



This base is constructed of aircraft grade aluminum and can be laminated into a socket with a single lamination. It is angled 12° and has a 4-hole pattern that is offset posteriorly .75 inches for enhanced alignment for hip flexor tightness.

Lamination adaptor and spacer screws sold separately (CMP14/A).

Build Height: 1 cm
Diameter: 2 3/4"
Tapered Sides

Includes:
(1) Distal Base (1) Fabrication Tab

PCMP1/A Pediatric Delrin Distal Base



This pediatric base can be laminated into a socket or vacuum formed into a flexible inner socket. It is also an ideal solution to complex flexion contracture cases.

Build Height: 2mm
Diameter: 2"
Tapered Sides

Includes:
(1) Pediatric Distal Base (1) Fabrication Tab

PCMP2/A Ped. 4-Hole Endo Distal Base



This pediatric base is constructed of aircraft grade aluminum and can be laminated into a socket. It also serves as an attachment base for endoskeletal componentry.

Lamination adaptor and spacer screws sold separately (CMP14/A).

Build Height: 2mm
Diameter: 2"
Tapered Sides

Includes:
(1) Pediatric Distal Base (1) Fabrication Tab

Distal Straps

CMP6/A Distal Strap Set



These straps attach to the end of the locking liner. They secure the limb distally by feeding through the base and joining the proximal straps. The strap is easily fed through the distal base while donning.

Includes:
(2) Distal Straps

CMP6/B Distal Strap Set - Black



These straps attach to the end of the locking liner. They secure the limb distally by feeding through the base and joining the proximal straps. The strap is easily fed through the distal base while donning.

Includes:
(2) Distal Straps

PCMP6/A Ped. Distal Strap Set



These pediatric straps attach to the end of the locking liner. They secure the limb distally by feeding through the base and joining the proximal straps. The strap is easily fed through the distal base while donning.

Includes: (2) Pediatric Distal Straps

PCMP6/B Ped. Distal Strap Set - Black



These pediatric straps attach to the end of the locking liner. They secure the limb distally by feeding through the base and joining the proximal straps. The strap is easily fed through the distal base while donning.

Includes: (2) Pediatric Distal Straps

Continued

KISS® DISTAL COMPONENTS

Distal Screws

CMP8/A

Distal Screw Set



These screws secure the distal strap to the distal end of the locking liner.

These are designed for adult liners.

Includes:
(2) Distal Screws

PCMP8/A

Ped. Distal Screw Set



Specially designed to work with Pediatric Lower and Upper Extremity locking liners, these screws secure the distal strap to the distal end of the locking liner.

Works with PCMP15/A, a 10mm-6mm threaded insert.

Includes:
(2) Pediatric Distal Screws

Distal Threaded Insert

PCMP15/A 10mm-6mm Distal Threaded Insert



These are 10mm-6mm distal inserts to be used for low profile attachment. (Use Component PCMP16/A for a Distal Threaded Insert For Ossur™ Liners.

Includes:
(2) Distal Inserts

PCMP16/A Low Profile Threaded Insert For Ossur™ Liners



These are distal inserts to be used for low profile attachment to Ossur™ Liners.

Includes:
(2) Low Profile Threaded Inserts

Mufflers

CMP9/A


KISS® Muffler Set



These mufflers eliminate unwanted air noise. They are sewn to the distal strap and fit snugly in the distal base.

Includes:
(2) Mufflers

PCMP9/A Pediatric KISS® Muffler Set



The pediatric mufflers eliminate unwanted air noise. They are sewn to the distal strap and fit snugly in the distal base. Designed small for pediatric lower and upper extremity applications.

Includes:
(2) Pediatric Mufflers

Continued

KISS® PROXIMAL COMPONENTS

Proximal Placards

CMP5/A Adhesive Placard Set



This ultra flexible placard attaches proximally to the liner by adhesive. It can be mounted using KISS® Adhesive. This placard is not removable after attachment.

Includes:
(2) Adhesive Ready Placards

CMP5/B Adhesive Placard Set – Black



This ultra flexible placard attaches proximally to the liner by adhesive. It can be mounted using KISS® Adhesive. This placard is not removable after attachment.

Includes:
(2) Adhesive Ready Placards

PCMP5/A Ped. Adhesive Placard Set



This pediatric ultra flexible placard attaches proximally to the liner by adhesive. It can be mounted using KISS® Adhesive. This placard is not removable after attachment.

Includes:
(2) Pediatric Adhesive Ready Placards

PCMP5/B Ped. Adhesive Placard Set-Black




This pediatric ultra flexible placard attaches proximally to the liner by adhesive. It can be mounted using KISS® Adhesive. This placard is not removable after attachment.

Includes:
(2) Pediatric Adhesive Ready Placards

Proximal Placards (cont)

CMP22/A Velcro™ Sewn Placard Set



This placard attaches proximally to the liner using Velcro™. The proximal nut is sewn into each placard. This placard is removable after attachment.

Includes:
(2) Velcro™ Sewn Placards

CMP22/B Velcro™ Sewn Placard Set - Black



This placard attaches proximally to the liner using Velcro™. The proximal nut is sewn into each placard. This placard is removable after attachment.

Includes:
(2) Velcro™ Sewn Placards

PCMP22/A Ped. Velcro™ Sewn Placard Set



This pediatric placard attaches proximally to the liner using Velcro™. The pediatric proximal nut is sewn into each placard. This placard is removable after attachment.

Includes:
(2) Pediatric Velcro™ Sewn Placards

PCMP22/B Ped. Velcro™ Sewn Placard Set - Black



This pediatric placard attaches proximally to the liner using Velcro™. The pediatric proximal nut is sewn into each placard. This placard is removable after attachment.

Includes:
(2) Pediatric Velcro™ Sewn Placards

Continued

KISS® PROXIMAL COMPONENTS

Proximal Straps

CMP7/A Proximal Strap Set



This strap attaches to the KISS® Placard and exits the socket through a proximal aperture. The distal strap is fed up through the d-ring on this proximal strap.

Includes:
(2) Proximal Straps

CMP7/B Proximal Strap Set – Black



This strap attaches to the KISS® Placard and exits the socket through a proximal aperture. The distal strap is fed up through the d-ring on this proximal strap.

Includes:
(2) Proximal Straps

PCMP7/A Ped. Proximal Strap Set



This pediatric strap attaches to the pediatric KISS® Placard and exits the socket through a proximal aperture. The pediatric distal strap is fed up through the d-ring on this proximal strap.

Includes:
(2) Pediatric Proximal Straps

PCMP7/A Ped. Proximal Strap Set - Black



This pediatric strap attaches to the pediatric KISS® Placard and exits the socket through a proximal aperture. The pediatric distal strap is fed up through the d-ring on this proximal strap.

Includes:
(2) Pediatric Proximal Straps

KISS® Anti Fray Sock Iron-ons

CMP17/A Anti Fray Sock Iron-ons



When using a sock with KISS® these iron-ons prevent fraying. Most socks are made with reinforced distal holes, but KISS® also requires a reinforced proximal hole. Securely reinforce any hole you cut in a sock, and eliminate fray.

Includes: (12) Anti fray Iron-ons

Proximal Screws

CMP4/A Proximal Nut & Screw Set



This nut and screw set attaches the Proximal Strap to the Proximal Placard.

Includes:
(2) Nuts
(2) Screws

PCMP4/A Pediatric Proximal Nut & Screw Set



This pediatric sized nut and screw set attaches the Pediatric Proximal Strap to the Pediatric Proximal Placard.


Includes:
(2) Pediatric Nuts
(2) Pediatric Screws

Continued

KISS[®] FABRICATION

Fabrication Kits


FN1/A Adhesive Fab Kit



This Fabrication Kit includes components needed to attach a KISS[®] Placard using adhesive. This is not needed for attaching by Velcro[™].
Will last 20+ applications.

Includes:
(2) CMP10/A –Press Plate
(1) CMP11/A-KISS[®] Adhesive

PFN1/A Ped. Adhesive Fab Kit



This Pediatric Fabrication Kit includes components needed to attach a KISS[®] Pediatric Placard using adhesive. This is not needed for attaching by Velcro[™].
Will last 20+ applications.

Includes:
(2) PCMP10/A-Press Plates
(1) CMP11/A-KISS[®] Adhesive

Lamination Kits

CMP14/A 4-Hole Lamination Kit



This reusable lamination kit allows for the easy lamination of the 4-Hole Endo Distal Base (CMP2/A).

Includes 1 Lamination adaptor with spacer screws

PCMP14/A Ped. 4-Hole Lamination Kit



This pediatric reusable lamination kit allows for the easy lamination of the Pediatric 4-Hole Endo Distal Base (PCMP2/A).

Includes 1 Lamination adaptor with spacer screws

Liner Attachment

CMP10/A Press Plate



This reusable plate is used to mount the KISS[®] Placard when attaching by adhesive. This is not needed for attaching by Velcro[™].

Includes:
(1) Press Plate

PCMP10/A Pediatric Press Plate



This Pediatric reusable plate is used to mount the KISS[®] Pediatric Placard when attaching by adhesive. This is not needed for attaching by Velcro[™].

Includes:
(1) Pediatric Press Plate

CMP11/A KISS[®] Adhesive



This specially formulated, flexible, ultra quick drying adhesive is used to attach both the Proximal Placard when attaching by Adhesive, and the KISS[®] BK One Way Expulsion Valve. Contains 20+ applications.

Includes:
(2) Bottles

CMP25/A KISS[®] Dummy[™]







Use the KISS[®] Proximal Dummy for clean, consistent proximal socket exit holes. It can be reused many times if care is taken when grinding.



Includes:
(1) Proximal Exit Dummy



Continued

KISS® REPLACEMENT KITS

<p>CMP31/A</p> 	<p>KISS® Replacement Kit w/ Adhesive Placard</p> <p>Includes:</p> <ul style="list-style-type: none"> (1) Distal Strap (1) Proximal Strap (1) Adhesive Placard (1) Distal Screw (1) Proximal Nut & Screw 	<p>CMP31/B</p> 
---	--	---

<p>CMP32/A</p> 	<p>KISS® Replacement Kit w/ Velcro™ Sewn Placard</p> <p>Includes:</p> <ul style="list-style-type: none"> (1) Distal Strap (1) Proximal Strap (1) Velcro™ Sewn Placard includes nut & screw (1) Distal Screw 	<p>CMP32/B</p> 
--	---	--

<p>PCMP31/A</p> 	<p>Ped. KISS® Replacement Kit w/ Adhesive Placard</p> <p>Includes:</p> <ul style="list-style-type: none"> (1) Ped. Distal Strap (1) Ped. Proximal Strap (1) Ped. Adhesive Placard (1) Ped. Distal Screw (1) Ped. Proximal Nut & Screw (1) Threaded Distal Insert 10mm-6mm 	<p>PCMP31/B</p> 
--	---	--

<p>PCMP32/A</p> 	<p>Ped. KISS® Replacement Kit w/ Velcro™ Sewn Placard</p> <p>Includes:</p> <ul style="list-style-type: none"> (1) Ped. Distal Strap (1) Ped. Proximal Strap (1) Ped. Velcro™ Sewn Placard Includes Ped. nut & screw (1) Ped. Distal Screw (1) Threaded Distal Insert 10mm-6mm 	<p>PCMP32/B</p> 
--	--	--

Continued

BK COMPONENTRY

Low Profile Expulsion Valves

CMP19/A One Way Expulsion Valve



This valve is incredibly low profile, ultra lightweight, and low cost.
 -1mm Build Height
 -Less than 1/10 of an Ounce
 -Integrated Filter
 -Ultra Quiet
 -Sold in various size packs
Includes: (1) valve

43/64" or 17mm Hole Required

Also available in a 10 Pack (CMP19/B) & 30-Pack (CMP19/C)

Expulsion Valve Installation

CMP20/A Reduced Shank Drill Bit



This drill bit can be used to install the KISS® one way expulsion valve, CMP19/A

-Size: 43/64"
 -Reduced Shank

To ensure proper fit, a 43/64" drill bit OR 17mm drill bit must be used to install the KISS® one way expulsion valve.

Includes: (1) Drill Bit

Removable Transtibial Linkage

CMP24/A KISS® WrapStrap-R® - Beige



Residue Free, Removable Linkage
 -Prevents doffing inversion & donning dislodging
 -Stops under sleeve air leakage
 -Reliable & strong construction
 -Low profile, fully adjustable
 -Tapeless & Removable

Patent Pending Worldwide.
 All rights reserved.

Includes: (1) KISS® WrapStrap-R® Beige

Also available in a 10-Pack (CMP24/B)

CMP24/C KISS® WrapStrap-R® - Gray



Residue Free, Removable Linkage
 -Prevents doffing inversion & donning dislodging
 -Stops under sleeve air leakage
 -Reliable & strong construction
 -Low profile, fully adjustable
 -Tapeless & Removable

Patent Pending Worldwide.
 All rights reserved.

Includes: (1) KISS® WrapStrap-R® Gray

Also available in a 10-Pack (CMP24/D)

Suspension Sleeve Protection

CMP33/A KISS® Soft Edge - Beige



Superior Suspension Sleeve protection at the proximal socket edge.

Includes:
 (1) 60" Strip

CMP33/B KISS® Soft Edge - Black




Superior Suspension Sleeve protection at the proximal socket edge.

Includes:
 (1) 60" Strip

Continued

ADDITIONAL KISS® INNOVATIONS

CMP26/A KISS® Superhero™



This reusable test socket plate allows for easy removal of casting tape without damaging the plate.

Includes:
(1) Test Socket Plate

U.S. Patented.
International Patents
Pending. All Rights Reserved.

CMP34/A KISS® Grip



Special material used to convert non Velcro™ compatible covered locking liners to allow for use with proximal KISS® Velcro™ Placards.

Includes:
(2) KISS® Grips

CMP27/A KISS® Trainers™



Dynamic Flexible Keel Stubby Feet

Includes:
(1) Pair

U.S. and International Patents
Pending. All Rights Reserved.

CMP28/A KISS® SuperSlider™



This reusable slider allows Test Socket linear alignment changes in the transverse plane.

Includes:
(1) Slider

CMP29/A KISS® SuperSlider™ / KISS® Superhero™ Combo



Maximize Test Socket Dynamic alignment with this reusable combo. Add a pyramid or receiver to the slider for ultimate test socket slide and angular alignment.

Includes:
(1) Slider
(1) Test Socket Plate

U.S. Patented.
International Patents Pending.
All Rights Reserved.